



osmo®

Finish and renovate garden terraces.

**Practice. Knowledge.**

# With Osmo, there is more in it for you.

We know what counts in your work: quality into the last detail. That is why we consistently further develop the Osmo product range, so that professionals like you can work better, faster and more efficiently. Together we get more out of it – for you and your customers.

2



## The range for every application

We keep contact to processors who work with our products. This variety of experience flows into a product range that offers the best solutions for every challenge.

## Variety of application areas



We offer solutions that bring you further in outdoor areas. No matter whether timber, BPC, stone or terracotta, our products are perfectly formulated for the material and are easy to process – that is something you can rely on.

## Safe quality



Our coatings for wood protection and care are biodegradable as well as safe for humans, animals and plants when dry. They are even suitable for children's toys. There are hardly any more convincing arguments for customers when comes to the use of Osmo products.

3

## Short drying times



Our coatings for wood protection and care are biodegradable as well as safe for humans, animals and plants when dry. They are even suitable for children's toys. There are hardly any more convincing arguments for customers when comes to the use of Osmo products.

## Satisfied customers



Osmo offers a comprehensive range of products for routine cleaning and care. Imagine after completing the project you have the right care products ready for your customers. They would appreciate it and could enjoy their garden terrace for a longer time. Or you could just arrange service agreement with them.

# A sustainably good feeling.

For our products, we think beyond uncomplicated applications. After all, we know that more and more often your customers bring the topics healthy living and sustainability into the game. For this reason, we produce our products out of natural and safe raw materials. A good feeling for your customers – and for your future contracts.

4



DIBt technical approval



Oil-based coatings



Sustainable raw materials



High solids content between 50 and 100 %



Suitable for children's toys



Food safe



High coverage





## Natural protection

Timber decking is hard-wearing and low-maintenance – however, it does need some care. Osmo Decking-Oil repels dirt and protects the wood. When necessary, you can re-oil decking without sanding and carry out spot repairs.

## Decking-Oil

Our Decking-Oil comes in a variety of colours, for example Bog Oak. This colour gives the garden deck a warm and cosy feeling. With unsurpass-

able durability and low material requirements per square metre, it is a must-have for every garden deck.

# Protection and care for wood. Reliable performance for you.

You know the highly diverse challenges for wood in outdoor areas. We do too – and you can rely on that. Our oil-based coatings are perfectly formulated for all situations and ready for immediate use. With Osmo, you have everything under control, from swelling and shrinking protection to anti-slip effect. Discover what all is possible – and show your customers.





# Need less, achieve more – easily done.

Our products offer all timber decking types optimal protection. With an excellent time-performance ratio for you: the surfaces can be coated without any sanding or priming. The high-coverage and quick-to-process coatings smoothen the wood surface and make it water and dirt-repellent. If at the end everything runs „too smoothly“ for your customer, then simply add a coat of Anti-Slip Decking Oil on top.

8



## WR Base Coat

Clear protection for the exterior

- > Recoatable in approx. 12 hours
- > Effective protection for timber without ground contact
- > Highly water-repellent
- > 1 litre covers approx. 5-6 m<sup>2</sup> with one coat.





## End Grain Sealing Wax

The coating for decking boards and other end grains

- > Reduces cracking in end grain significantly
- > Water and dirt-repellent surface
- > Reduction of swelling and shrinkage
- > 1 litre covers approx. 5 m<sup>2</sup> with one coat.
- > Drying time approx. 3-4 hours



## Anti-Slip Decking Oil

The non-slip top coat for pigmented Decking-Oil

- > Especially safe surface thanks to anti-slip additives
- > Protection against mould, algae and fungal attack
- > 1 litre covers approx. 24 m<sup>2</sup> with one coat.
- > Drying time approx. 24 hours



## Decking-Oil

Protection and care for numerous soft and fine woods.

- > Uncomplicated application without sanding
- > Very high coverage
- > 1 litre covers approx. 24 m<sup>2</sup> with one coat.
- > For a transparent coloured treatment with noticeable wood grain
- > Drying time approx. 12 hours



Enco Vending, Bulgaria

Exquisite taste is a benchmark at Enco Vending, not only for the automatic coffee machines the company sells, but also for the interiors and

grounds at the company headquarters. For the protection of the exterior wood, the choice was quickly made for Decking-Oil from Osmo.

# Know what achieves a maximum effect.

Does your customer prefer to renovate rather than investing in new wood? The results should still look like it has been freshly installed. A good opportunity for you to use our product knowledge about wood and garden products to your advantage. The highly effective and easy-to-process products from Osmo achieve a maximum effect with a manage-able amount of effort. This makes your customers happy – and promotes your images as a competent specialist.





# Perfect terrace and customer care.

Wind, weather, sunlight, wear, green growth. It is not easy for wood in outdoor areas to stay attractive for a long time. Osmo makes it easy for you to make it look like new again. Apply our cleaners and wait for them to react. Without intensive scrubbing and brushing, the patina is gone, also on stone and concrete in the garden. This saves a lot of working time. At the end, even the customer's eyes will be sparkle.

12



## Wood Reviver Power-Gel

Restore the natural wood colour

- > Versatile in use on decking, cladding and garden furniture made of wood
- > Odourless
- > Biodegradable



## Paint Remover Gel

For a highly effective removal of existing oil finishes and stains

- > Ideal for removing surface finishes on partially weathered timber decking
- > Odourless
- > Biodegradable

## Revive grey wood & save energy: tips for effective use.

Osmo Wood Reviver Power-Gel has a non-drip formulation, so you can treat vertical surfaces easily, too. Wait 20 minutes for the Power-Gel to react. Afterwards remove the patina with a scrub brush and lots of water. For especially large areas, we recommend using Osmo Decking and Flooring Cleaning Machine.

## Long-lasting protection

Stone and Terracotta Oil acts as a clear impregnation for microporous natural and artificial stone with a polished, sanded or break surface in

outdoor areas. Especially suited for paving slabs and windowsills made of granite and limestone as well as slate.

# With Osmo, you are ready for anything.

Also for work materials like WPC, BPC, stone and terracotta, you can rely on the high quality and performance of our products. They have a simple application, are made of natural raw materials and offer reliable protection and care.





# Other work materials? For you, they just mean new orders.

Wood polymer composite (WPC) and bamboo polymer composite (BPC) are becoming even more popular. Also for these materials, Osmo offers well-suited and highly effective cleaning and care products. They can be used on decking in all colour variations and, like Osmo Stone and Terracotta Oil, they are based on natural oils. With these products, you can not only act as wood specialist, but as an advisor for effective surface protection – and receive new orders.

16



## WPC & Aluminium Cleaner

For a really easy removal of dirt and stains

- > Deep cleaning power
- > For cleaning WPC and BPC surfaces as well as other waterproof surface
- > Highly effective concentrate



1 colour

## Polymer Composite Maintenance Oil

Clear surface revival and care

- > Recoatable in approx. 8-10 hours
- > Effective protection for already weathered WPC & BPC surface
- > Highly water-repellent
- > 1 litre covers approx. 40 m<sup>2</sup> with one coat.





1 colour

## Stone and Terracotta Oil


Clear protection for the exterior

- > Recoatable in approx. 8-10 hours
- > Enhances the colour of the substrate
- > Highly water and dirt repellent
- > Simple cleaning and care



## Water-repellent and dirt-resistant

Stone and Terracotta Oil penetrates in the microporous surface and will not form a film on the surface. Through the impregnation, the microporous surface becomes water and dirt-repellent as well as stain-resistant. Dust resulting from screed and concrete surfaces is greatly reduced. Apply very thinly with Osmo Flat Brush, Flooring Brush, Oil Finish Applicator Fleece or Microfibre Roller and spread well. Remove any excess (pooling or streaks) with a pad or lint-free cloth. For larger areas, remove excess oil with a rubber squeegee and polish with a single-disc machine and white pad. Important: the liquid oil must be absorbed into the surface. No oil should stay on the surface.



# We help professionals reach their goals faster.

We also support your professional work with professional accessories. With appropriate tools developed specifically for our products, you reach your goals faster. After all, we want you to achieve more with Osmo: more quality, more customer satisfaction, more orders, more success. Added value that brings your work to a new level.

18

## One product for all wood surfaces: tips for an effective application


Osmo Decking Cleaner is suitable for all wood surfaces in outdoor areas, besides decking, also for privacy screens, fencing and garden furniture. It is best to always clean wood with the grain and with either a scrub brush or Osmo Decking and Flooring Cleaning Machine.



## Decking and Flooring Cleaning Machine

Intensive cleaning and de-greying

- > Suitable for cleaning indoors and outdoors
- > Intensive thorough cleaning and de-greying of timber decking
- > Deep cleaning of wooden flooring in indoor areas
- > Especially effective thanks to counter-rotating brushes
- > Loosen and remove dirt in one clean work step
- > Wastewater is stored in a tank
- > Machine can be rented at a Osmo dealer.



## OUR PRODUCTS

### > CLADDING

Cladding profiles  
Coloured cladding  
Accessories

### > FLOORING

Solid wood flooring  
Concept-Flooring  
Creativ-Flooring

### > COATING SYSTEMS

For the interior and exterior  
Wood protection and care

### > INTERIOR WOOD

Solid wood profiles  
Framing wood  
Laths

### > EDGE-GLUED PANELS

Solid wood panels  
Work surfaces  
Furniture doors

### > MOULDINGS

Skirting boards  
Mouldings for walls and ceilings  
Decorative mouldings

### > DECKING

Wood  
Ceramic  
BPC

### > SCREENS

Wood  
Sound protection  
Aluminium/BPC

## Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12  
D-48231 Warendorf

PO Box 110161  
D-48203 Warendorf

Telefon +49 (0)2581/922-100  
Telefax +49 (0)2581/922-200

**www.osmo.com**  
info-export@osmo.com

Your local Osmo dealer:

